### **Kalipso**



#### **Model Code E8947**

date of issue 26-05-23 revision 00 revision of 09-06-23 (the present replaces any previous versions)

Designer: centro studi interno

**Structure:** beechwood, pinewood, multilayer and plywood covered with polyurethane foam.

Spring system: elastic webbing

**Seat Padding:** seat cushions in ecological polyurethane foam, covered with 100% polyester padding

**Back Padding:** backrests and headrests in ecological polyurethane foam, covered with 100% polyester padding

**Arm Interior:** armrests in ecological polyurethane foam, covered with 100% polyester padding

Removability: not available.

**Sewing:** leather covers feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) covers.

**Mechanisms:** the model is equipped with headrests that can be manually lifted. The height of the model with lifted headrests is 98 cm. Reclining versions available with power recliner mechanism, operated by a button panel \* (puls\_1) on armrest sides and touch pad (TP\_1) on armless sides. The maximum depth of the model with recliner mechanism completely open is 157 cm.

**Components:** \*button panel (puls\_1) equipped with USB connector which allows several USB power supply devices to be plugged in.

Standard feet: PVC h.5 cm.

#### Density of seat and back kg/cbm (±5%) (1)

Seat	Back
30 Medium	27
30 sostenuto hard	28 hard
30 soft	27 soft
37 fire retardant	31 fire retardant
30 Medium	27
	30 Medium 30 sostenuto hard 30 soft 37 fire retardant

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

(1) Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFET VINOPIMATION TECHNIQUE for into regarding use and protection of people and of the environment, in complance with existing EEC regulations.

#### Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split	✓		
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

#### Components / Optional vers.











### Ottoman

PVC H5



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.



<sup>\*</sup> fabrics and microfibers are not available for the U.K. market

## Kalipso

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).
















dimensions Description

H77 D107 SH45 SD55 2 seater

L 172













L 96 H77 D107 SH45 SD55









L 86 H77 D107 SH45 SD55

1 right arm facing chair



L 96 H77 D107 SH45 SD55 1 left arm facing



L 106 H77 D107 SH45 SD55 Ihf maxi chair











1left arm facing 2



L 168 H77 D107 SH45 SD55 L 168 H77 D107 SH45 SD55 1 left arm fac. 2 1 right arm fac.2



L 188 H77 D107 SH45 SD55 1right arm facing



L 188 H77 D107 SH45 SD55

1left arm facing 3



D62 small chair no











L 72 H77 D107 SH45 SD55 chair without





L 96 H77 D167 SH45 SD115 chaise lon.lhf

L 124 H77 D184 SH45 SD134 rhf xl chaise

L 124 H77 D184 SH45 SD134 Ihf xI chaise

➡ fold following the dotted line ➡




# Kalipso

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).















dimensions

Description

L 222 H77 D110 SH45 SD55

L 222 H77 D110 SH45 SD55

L 86 H77 D107 SH45 SD55 sq.cor.chr.sq.mer.le rhf el.rec.mini

L 86 H77 D107 SH45 SD55

L 96 H77 D107 SH45 SD55

elec.rec.chair













L 96 H77 D107 SH45 SD55

elec.rec.chair

1raf maxi chair

L 106 H77 D107 SH45 SD55



1laf maxi chair

L 62 H77 D107 SH45 SD55

armless mini

L 72 H77 D107 SH45 SD55


elec.recl.armless

L 82 H77 D107 SH45 SD115


el.rec.arml.maxi



H- D- SH- SD-Y00



H- D- SH- SD-



L -H- D- SH- SD-Y03

613 + 612



H- D- SH- SD-Y30



H- D- SH- SD-

d62 + c36



H- D- SH- SD-Y32

<u>17</u>4 + 130



L -H- D- SH- SD-130 + 173



613 + 144



L -H- D- SH- SD-144 + 612



**W** 110

H77 D110 SH45 SD55

040



